

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
FR998-073

Total Pages in this Submission

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Box Patent Application
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

FILE MANAGER FOR STORING SEVERAL VERSIONS OF A FILE

and invented by:

Alain Benayoun
Jacques Fieschi
Jean-François Le Pennec
Patrick Michel

JC662 U.S. PTO
09/493242

If a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Enclosed are:

Application Elements

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 11 pages and including the following:
 - a. ☒ Descriptive Title of the Invention
 - b. ☐ Cross References to Related Applications (if applicable)
 - c. ☐ Statement Regarding Federally-sponsored Research/Development (if applicable)
 - d. ☐ Reference to Microfiche Appendix (if applicable)
 - e. ☒ Background of the Invention
 - f. ☒ Brief Summary of the Invention
 - g. ☒ Brief Description of the Drawings (if drawings filed)
 - h. ☒ Detailed Description
 - i. ☒ Claim(s) as Classified Below
 - j. ☒ Abstract of the Disclosure

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
FR998-073

Total Pages in this Submission

Application Elements (Continued)

3. ☒ Drawing(s) (when necessary as prescribed by 35 USC 113)
- a. ☒ Formal Number of Sheets 2 (Figs. 1-2)
- b. ☐ Informal Number of Sheets _____
4. ☒ Oath or Declaration
- a. ☒ Newly executed (original or copy) ☐ Unexecuted
- b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional application only)
- c. ☒ With Power of Attorney ☐ Without Power of Attorney
- d. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application,
see 37 C.F.R. 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference (usable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Computer Program in Microfiche (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all must be included)
- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy (identical to computer copy)
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

Accompanying Application Parts

8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(B) Statement (when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement/PTO-1449 ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☐ Certificate of Mailing
- ☐ First Class ☐ Express Mail (Specify Label No.): _____

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
FR998-073

Total Pages in this Submission

Accompanying Application Parts (Continued)

15. ☒ Certified Copy of Priority Document(s) (if foreign priority is claimed)


16. ☐ Additional Enclosures (please identify below):

Fee Calculation and Transmittal

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	14	- 20 =	0	x \$18.00	\$0.00
Indep. Claims	3	- 3 =	0	x \$78.00	\$0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$690.00
OTHER FEE (specify purpose) Assignment Recordation					\$40.00
TOTAL FILING FEE					\$730.00

- ☒ A check in the amount of \$730.00 to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. 50-0481 as described below. A duplicate copy of this sheet is enclosed.
- ☐ Charge the amount of as filing fee.
- ☒ Credit any overpayment.
- ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
- ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance pursuant to 37 C.F.R. 1.311(b).


Signature

Sean M. McGinn, Esq.
Registration No. 34,386

Dated: January 28, 2000

cc:

Customer No. 21254

FILE MANAGER FOR STORING SEVERAL VERSIONS OF A FILE

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention generally relates to computer systems and more particularly to a
5 file manager for managing a plurality of files when it is required to store several versions for said
files.

Description of the Related Art

In a computer system, a file manager shows where a file, which is commonly identified
by a path, is physically located. Such a path is composed of a logical unit, a directory and a file
10 name. The logical unit is generally referenced by a capital letter followed by a colon (e.g., C:).
A directory gathers several files that have common characteristics. A classification is thus
defined for the plurality of files linked to a same logical unit. Furthermore, a directory can be
subdivided into subdirectories, which can themselves be subdivided into sub-subdirectories and
so on. The term “directory” will be used hereinafter with its generic meaning (e.g., referring to
15 the whole hierarchy of the classification).

A file has a file name (e.g., FILE1). When FILE 1 belongs to the directory DIR1 linked
to logical unit C:, it is identified by the path C:\DIR1\FILE1. The directory and the file name

represent an identifier which means that the file FILE1 is identified by a logical unit C: and the identifier \DIR1\FILE1.

The file manager therefore indicates that the file C:\DIR1\FILE1 is on a definite physical unit 3X (e.g., a hard disk drive).

5 Now assume that the computer is provided with a standard software such as a word processing software. Naturally, all the files of this software are known by the file manager. Then, further assume that a new version of this standard software should be implemented in the computer. This new version comprises files that have the same name as files of the previous version. According to a first solution, the operating system of the computer will store such a file of the new version in the file of the previous version, since they have the same identification. However, a problem arises that when these two files are different, a malfunction could occur when operating a program or an application file that needs the previous version of the standard software.

10 According to a second solution, the operating system of the computer will change the identification of the new file in order not to delete the previous file. For example, the file SETUP of the previous version was identified as F:\INSTALL\SETUP and the corresponding file of the new version is now identified as F:\SETUP\SETUP. If a third version of the same standard software is installed, this could lead to another file identified for instance as F:\INSTALL\SETUP\SETUP. However, a problem arises that when these three files are
20 identical, there is a useless duplication, increasing the memory required for storing the software. Further, it is not possible to delete one of these files since some programs or application files know only F:\INSTALL\SETUP, other ones know only F:\SETUP\SETUP and the most recent ones know only F:\INSTALL\SETUP\SETUP.

SUMMARY OF THE INVENTION

In view of the foregoing and other problems, disadvantages, and drawbacks of the conventional computer system file managers, an object of the present invention is to provide a structure and method for a file manager that stores in records all the files required by a computer and that avoids any duplication.

In accordance with the present invention, a file manager is provided for locating a file identified by a path referring to a logical unit and an identifier, the file manager comprising a table associating the file with a priority list of physical units. Thus, several versions of a file with a common logical identification can be saved. In order to have access to any one of these versions, the file manager comprises a unit for modifying the priority list.

Preferably, the table also defines attributes (Read, Write, Hide, Execute) for each item of the priority list. In this case, according to an advantageous feature, the table defines for the file a physical unit with a write attribute that differs from a physical unit with a read attribute. In addition, the file manager comprises a unit for modifying the attributes.

In a preferred embodiment, the file manager is incorporated into the controller of peripheral devices in a computer system. Alternatively, the file manager is incorporated into the operating system of a computer system.

The present disclosure relates to subject matter contained in European Patent Application No. 99480001.9, filed January 29, 1999, which is expressly incorporated herein by reference in its entirety.

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and other objects, aspects and advantages will be better understood from the following detailed description of a preferred embodiment of the invention with reference to the drawings, in which:

- 5 Figure 1 illustrates a table of a file manager according to the present invention; and
- Figure 2 illustrates a location of a file manager according to a preferred embodiment of the invention.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS OF THE INVENTION

The invention applies to a single personal computer or to a workstation, as well as to a server of a network connecting several computers.

- Files stored in a computer or a server are often provided with attributes generally referred to as follows: R for read, which means that this file can be read, W for write, which means that this file can be written or modified, H for hide, when the involved file should not be accessed, X for execute, when the involved file is a program that can be executed.
- 15

- Now, consider the file C:\DIR1\FILE1 of a standard software. A first version 1 of this file is stored on physical unit 1Z located in a server. Later, an updated version of the standard software is commercialized and a second version 2 of file C:\DIR1\FILE1 is consequently stored by a first network user on physical unit 2Y (e.g., a hard disk drive of the user's personal computer connected to the server).
- 20

Still later, the updated software is put at the disposal of every network user and consequently, a third version 3 of file C:\DIR1\FILE1 is stored on physical unit 3X in the server.

With reference to Figure 1, the file manager of the first user includes a table which shows that this file has an X attribute and is associated with a priority list of physical units 3X, 2Y, 1Z respectively corresponding to versions 3, 2 and 1 of this file.

When the first user starts an execution of file FILE1, the file manager will first select the corresponding file in physical unit 3X. If this file is not available, the file manager will then look for the version stored in physical unit 2Y and if this version is not available either, it will select the first version stored in physical unit 1Z.

Between the installation of versions 2 and 3 of FILE1, the priority list is naturally limited to 2Y, 1Z. An execution of FILE1 is therefore operated with version 2. If a malfunction appears with a program or an application file created prior to the installation of version 2, it is necessary to return to version 1 of FILE1. This operation is easily done by modifying the priority list so it becomes 1Z, 2Y.

After the installation of version 3 of FILE1, the priority list is thus 3X, 2Y, 1Z. Advantageously, if a problem occurs with the third version 3 of FILE1, it is possible to return to version 2 of this file with a modification of the priority list. Furthermore, when it is certain that versions 2 and 3 are equivalent, it is possible to remove version 2 from the priority list which becomes 3X, 1Z. It is even possible to delete version 2 in physical unit 2Y, which frees memory in this unit.

The equivalence between versions 2 and 3 can be established by different means. A first way is to check that the sizes and parities of both versions are equal. A second way (e.g., more empirical) is in determining that if no problem has occurred with version 3 during a definite lapse

of time, then version 3 is satisfactory.

The invention also allows an advantageous application in the management of software that is shared by a plurality of users. Conventionally, such software, located in a server, includes common files and customization files. A common file is common for all users, which means that such a file is stored only once. A customization file is specific to an identified user which means that such a file is stored a plurality of times corresponding to the number of users under a corresponding plurality of identifications.

Naturally, some of the common files need customization files to run. Apparently, the software should comprise selection means to designate which customization file should be used by such a common file. However, the present invention allows the deletion of these selection means since a customization file can be designated by a generic identification (e.g., C:\DIR1\FILE4). The selection is then made by the file manager.

As an example, the file manager associates this customization file respectively with physical unit 4X for user A, 4Y for user B, 4Z for user C and so on. It should be further noted that the customization file could be associated with the same physical unit provided that this unit designates a drive belonging to a personal computer and not to the server.

The present invention allows another advantageous application by giving different attributes to files identified by the same path but associated with different physical units. For example, the file identified C:\DIR1\FILE2 with a read attribute has a priority list 3Z, 2Y and this same file with a write attribute has a priority list 2Y, 3Z.

Accordingly, this file is read in physical unit 3Z and when it is modified, it is stored in physical unit 2Y. It follows that two versions of the same file are available, the old one on 3Z and the new one with the modifications on 2Y.

Usually, the new version, which is saved on 2Y, is the version required for further use. It is then necessary to reverse the priority list for the read attribute which then becomes 2Y, 3Z in order to be able to read the new version. Consequently, the priority list for the write attribute should also be reversed.

5 Nevertheless, when reading the new version, it could appear that this version is erroneous because the modifications of the old version should not have been made. It is therefore necessary to restore the old version. This is done by reversing again both priority lists which recover their initial states, 3Z, 2Y for the read attribute and 2Y, 3Z for the write attribute. Considering only the first item of each priority list, it appears that the physical unit with a write attribute differs from the physical unit with a read attribute.

With reference to Figure 2, there is shown a file manager 20 according to a preferred embodiment. The file manager 20 preferably is implemented in equipment such as a personal computer, a workstation or a server.

The equipment preferably includes a central processor unit (CPU) 21 and a random-access memory (RAM) 22, each one connected to a first controller 23. First controller 21 is provided for controlling the bus and the memory 22 is further connected to an adapter 24 by a bus generally referred to as PCI (Peripheral Component Interconnect) bus 25.

The adapter 24 is preferably a Small Computer System Interface (SCSI) adapter, which is an ANSI standard. This standard defines a bus and the logical interfaces associated to this bus for interconnecting computers and peripheral devices. This adapter 24 is therefore provided with a PCI interface connected to the PCI bus 25 and to a second controller 26 in charge of controlling the peripheral devices. The second controller 26 is also connected by a SCSI bus to an internal interface 27 and to an external interface 28. The disk drives of the computer are connected to the

internal interface while the external interface is used for external connection, to a network for instance.

According to this preferred embodiment, the file manager 20 is incorporated to the second controller 26. Alternatively, the file manager 20 can be implemented as a function of the operating system of the computer. Thus, the table, which contains the location and attributes of each file, is stored in the hard disk drive. This table may be duplicated in the memory 22 for performance improvement.

The scope of the present invention is in no way limited to the above embodiments. In particular, any means could be replaced by equivalent means.

While the invention has been described in terms of preferred embodiments, those skilled in the art will recognize that the invention can be practiced with modification within the spirit and scope of the appended claims.

CLAIMS

What is claimed is:

1. A file manager provided for locating a file identified by a path referring to a logical unit and an identifier, comprising:
a table for associating said file with a priority list of physical units.
2. A file manager according to claim 1, further comprising a unit for modifying said priority list.
3. A file manager according to claim 1, wherein said table also defines attributes for each item of said priority list.
4. A file manager according to claim 2, wherein said table also defines attributes for each item of said priority list.
5. A file manager according to claim 3, wherein said table defines for said file a physical unit with a write attribute that differs from a physical unit with a read attribute.
6. A file manager according to claim 3, further comprising a unit for modifying said attributes.
7. A file manager according to claim 4, further comprising a unit for modifying said attributes.

3 8. A controller of peripheral devices in a computer system, comprising a file manager
4 according to claim 1.

1 9. An operating system of a computer system, comprising a file manager according to claim
2 1.

1 10. A medium comprising computer readable instructions for carrying out a file manager
2 according to claim 1.

1 11. A file manager for locating a file, comprising:
2 a table for associating said file with a priority list of physical units, wherein said file is
3 identified by a path referring to a logical unit and an identifier.

1 12. The file manager of claim 11, wherein a plurality of versions of said file with a
2 common logical identification are savable.

1 13. The file manager of claim 12, further comprising a modifying unit for modifying the
2 priority list, thereby to access any of said plurality of versions.

1 14. A method for locating a file identified by a path referring to a logical unit and an
2 identifier, comprising:
3 associating, in a file manager having a table, said file with a priority list of physical units.

Parameter	Unit	Value
Temperature	°C	25.0
Pressure	atm	1.0
Flow rate	L/min	1.0
Sample concentration	mg/mL	1.0
Sample volume	μL	1.0
Injection volume	μL	1.0
Column length	cm	150
Column diameter	mm	4.6
Column packing	μm	5
Mobile phase		Water
Mobile phase		Acetonitrile
Mobile phase		Formic acid
Mobile phase		Ammonium formate
Mobile phase		Ammonium acetate
Mobile phase		Ammonium nitrate
Mobile phase		Ammonium sulfate
Mobile phase		Ammonium chloride
Mobile phase		Ammonium bromide
Mobile phase		Ammonium iodide
Mobile phase		Ammonium fluoride
Mobile phase		Ammonium phosphate
Mobile phase		Ammonium carbonate
Mobile phase		Ammonium oxalate
Mobile phase		Ammonium citrate
Mobile phase		Ammonium tartrate
Mobile phase		Ammonium succinate
Mobile phase		Ammonium malate
Mobile phase		Ammonium fumarate
Mobile phase		Ammonium crotonate
Mobile phase		Ammonium butyrate
Mobile phase		Ammonium valerate
Mobile phase		Ammonium caproate
Mobile phase		Ammonium heptanoate
Mobile phase		Ammonium octanoate
Mobile phase		Ammonium nonanoate
Mobile phase		Ammonium decanoate
Mobile phase		Ammonium undecanoate
Mobile phase		Ammonium dodecanoate
Mobile phase		Ammonium tridecanoate
Mobile phase		Ammonium tetradecanoate
Mobile phase		Ammonium pentadecanoate
Mobile phase		Ammonium hexadecanoate
Mobile phase		Ammonium heptadecanoate
Mobile phase		Ammonium octadecanoate
Mobile phase		Ammonium nonadecanoate
Mobile phase		Ammonium eicosanoate
Mobile phase		Ammonium heneicosanoate
Mobile phase		Ammonium docosanoate
Mobile phase		Ammonium tricosanoate
Mobile phase		Ammonium tetracosanoate
Mobile phase		Ammonium pentacosanoate
Mobile phase		Ammonium hexacosanoate
Mobile phase		Ammonium heptacosanoate
Mobile phase		Ammonium octacosanoate
Mobile phase		Ammonium nonacosanoate
Mobile phase		Ammonium triacontanoate
Mobile phase		Ammonium hentriacontanoate
Mobile phase		Ammonium dotriacontanoate
Mobile phase		Ammonium tritriacontanoate
Mobile phase		Ammonium tetratriacontanoate
Mobile phase		Ammonium pentatriacontanoate
Mobile phase		Ammonium hexatriacontanoate
Mobile phase		Ammonium heptatriacontanoate
Mobile phase		Ammonium octatriacontanoate
Mobile phase		Ammonium nonatriacontanoate
Mobile phase		Ammonium tetraacontanoate
Mobile phase		Ammonium pentacontanoate
Mobile phase		Ammonium hexacontanoate
Mobile phase		Ammonium heptacontanoate
Mobile phase		Ammonium octacontanoate
Mobile phase		Ammonium nonacontanoate
Mobile phase		Ammonium triacontanoate
Mobile phase		Ammonium tetratriacontanoate
Mobile phase		Ammonium pentatriacontanoate
Mobile phase		Ammonium hexatriacontanoate
Mobile phase		Ammonium heptatriacontanoate
Mobile phase		Ammonium octatriacontanoate
Mobile phase		Ammonium nonatriacontanoate
Mobile phase		Ammonium tetraacontanoate
Mobile phase		Ammonium pentacontanoate
Mobile phase		Ammonium hexacontanoate
Mobile phase		Ammonium heptacontanoate
Mobile phase		Ammonium octacontanoate
Mobile phase		Ammonium nonacontanoate
Mobile phase		Ammonium triacontanoate
Mobile phase		Ammonium tetratriacontanoate
Mobile phase		Ammonium pentatriacontanoate
Mobile phase		Ammonium hexatriacontanoate
Mobile phase		Ammonium heptatriacontanoate
Mobile phase		Ammonium octatriacontanoate
Mobile phase		Ammonium nonatriacontanoate
Mobile phase		Ammonium tetraacontanoate
Mobile phase		Ammonium pentacontanoate
Mobile phase		Ammonium hexacontanoate
Mobile phase		Ammonium heptacontanoate
Mobile phase		Ammonium octacontanoate
Mobile phase		Ammonium nonacontanoate
Mobile phase		Ammonium triacontanoate
Mobile phase		Ammonium tetratriacontanoate
Mobile phase		Ammonium pentatriacontanoate
Mobile phase		Ammonium hexatriacontanoate
Mobile phase		Ammonium heptatriacontanoate
Mobile phase		Ammonium octatriacontanoate
Mobile phase		Ammonium nonatriacontanoate
Mobile phase		Ammonium tetraacontanoate
Mobile phase		Ammonium pentacontanoate
Mobile phase		Ammonium hexacontanoate
Mobile phase		Ammonium heptacontanoate
Mobile phase		Ammonium octacontanoate
Mobile phase		Ammonium nonacontanoate
Mobile phase		Ammonium triacontanoate
Mobile phase		Ammonium tetratriacontanoate
Mobile phase		Ammonium pentatriacontanoate
Mobile phase		Ammonium hexatriacontanoate
Mobile phase		Ammonium heptatriacontanoate
Mobile phase		Ammonium octatriacontanoate
Mobile phase		Ammonium nonatriacontanoate
Mobile phase		Ammonium tetraacontanoate
Mobile phase		Ammonium pentacontanoate
Mobile phase		Ammonium hexacontanoate
Mobile phase		Ammonium heptacontanoate
Mobile phase		Ammonium octacontanoate


5

FR998-073 (YOR.163)

IDENTIFICATION	ATTRIBUTE	PRIORITY LIST
C:		3Z
\DIR1		3Z
\FILE1	X	3X, 2Y, 1Z
\FILE2	R	3Z, 2Y
	W	2Y, 3Z
\FILE3	H	
\FILE4	R	4X
\FILE5	H	
\DIR2		3Z
D:		1X

Figure 1

FIG. 2



DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: FILE MANAGER FOR STORING SEVERAL VERSIONS OF A FILE

the specification of which:
(check one)

☒ is attached hereto.

☐ was filed on _____, as Application Serial No. _____ and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

Number	99480001.9	Country	EP	Day/Month/Year	29/01/99	Priority Claimed	Yes
--------	------------	---------	----	----------------	----------	------------------	-----

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Prior U.S. Applications:

Serial No.	Filing Date	Status
------------	-------------	--------

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: We hereby appoint Manny Schechter, Registration No. 31,722, Terry J. Ilardi, Registration No. 29,936, Christopher A. Hughes, Registration No. 26,914, Edward A. Pennington, Registration No. 32,588, John E. Hoel, Registration No. 26,279, Joseph C. Redmond, Jr., Registration No. 18,753, Douglas W. Cameron, Registration No. 31,596, Louis P. Herzberg, Registration No. 41,500, Kevin M. Jordan, Registration No. 40,277, Stephen C. Kaufman, Registration No. 29,551, Daniel P. Morris, Registration No. 32,053, Louis J. Percello, Registration No. 33,206, Jay P. Sbröllini, Registration No. 36,266, David M. Shofi, Registration No. 39,835, Paul J. Otterstedt, Registration No. 37,411 and Robert M. Trepp, Registration No. 25,933, to prosecute this application and transact all business in the United States Patent and Trademark Office connected therewith.

Send all correspondence to: **McGinn & Gibb, P.C., 1701 Clarendon Boulevard, Suite 100, Arlington, Virginia 22209. Customer No. 21254**

Telephone calls should be directed to Sean M. McGinn, McGinn & Gibb, P.C. at (703) 294-6699.

(1) Inventor: Alain Benayoun

Signature: Alain Benayoun

Date: 01/17/2000

Residence: 60 Chemin du Val Fleuri - D15
06800 Cagnes-sur-mer, France

Citizenship: French

Post Office Address: Same as Residence